

# **SAFETY DATA SHEET**

**ADVANTAGE P3-HD-FS** 

SDS according to the Work Health and Safety Regulations (WHS)

### **Section 1. Identification**

Product name	: ADVANTAGE P3-HD-FS
Product code	: 42073433
Other means of identification	: Not available.
UN number	: Not regulated.
<u>Relevant identified uses of t</u>	he substance or mixture and uses advised against
Relevant uses	: Not available.
Uses advised against	: Any other purpose.
Supplier	<ul> <li>Quaker Houghton Australia Pty Ltd. 287 Wickham Road Moorabbin, Victoria Australia, 3189 +61 1300 736 642</li> <li>MAPAL Australia Pty. Ltd. Unit 3, 898 Humffray Street South MT Pleasant, Victoria Australia, 3350 T: +61 3 5335 3400</li> <li>ProductStewardship@guakerhoughton.com</li> </ul>
	www.quakerhoughton.com
Emergency telephone number (with hours of operation)	: CHEMTREC Australia: +(61)-290372994

### Section 2. Hazard(s) identification

This product is considered hazardous under the Work Health and Safety Regulations.

- **Classification of the** : SKIN CORROSION/IRRITATION - Category 2 substance or mixture
  - SERIOUS EYE DAMAGE/ EYE IRRITATION Category 1
- **GHS label elements** Hazard pictograms

Signal word

Corrosion

: DANGER

### Section 2. Hazard(s) identification

•		
Hazard statements	:	Causes skin irritation.
		Causes serious eye damage.
Precautionary statements		
Prevention	:	Wear protective gloves. Wear eye or face protection. Wash thoroughly after handling.
Response	:	Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Not applicable.
Other hazards which do not result in classification	:	None known.

### Section 3. Composition and ingredient information

Substance/mixture

: Mixture

Ingredient name	% (w/w)	CAS number
Amine neutralized carboxylic Acid	≤10	-
2-aminoethanol	<5	141-43-5
Amine neutralized carboxylic Acid	≤5	-
Propylidynetrimethanol, propoxylated, reaction products with ammonia	≤3	39423-51-3
2-amino-2-methylpropanol	≤3	124-68-5

The remaining composition is a mixture of non-classified ingredients or additives below the threshold for disclosure.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

General advice	: Get medical attention immediately. If medical advice is needed, have product container or label at hand. Use personal protective equipment as required. Remove contaminated clothing and wash it before reuse. Wash skin surfaces thoroughly after contact.
Inhalation	: Move affected person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and wash it before reuse. Get medical attention if symptoms occur.
Eye contact	: Get medical attention immediately. Flush with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do.
Ingestion	: Ingestion may cause gastrointestinal irritation and diarrhea. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
Most important symptoms/	effects, acute and delayed
Inhalation	: Not expected under normal use.
Skin contact	: pain or irritation, redness
Eye contact	: pain,redness,watering,burns

### Section 4. First aid measures

Ingestion	: Not expected under normal use.	
Indication of immediate me	ical attention and special treatment needed, if necessary	
	car attention and special treatment needed, it necessary	
Notes to physician	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.	
Specific treatments	: No specific treatment.	
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Use personal protective equipment as required.	۱.

### **Section 5. Fire-fighting measures**

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire. Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	<ul> <li>In a fire, hazardous decomposition products may be produced. carbon oxides (CO, CO<sub>2</sub>) nitrogen oxides</li> </ul>
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protec	tiv	e equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Put on appropriate personal protective equipment (see Section 8). Keep unnecessary personnel away. Avoid breathing vapor or mist. Provide adequate ventilation.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". Evacuate area.
Environmental precautions Methods and materials for co	:	Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Do not allow any potentially contaminated water, including rain water, runoff from fire fighting or spills, to enter any waterway, sewer or drain.
Methous and materials for co	лц	anment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. For large spills, dike spilled material or otherwise contain it to ensure runoff does not reach a waterway. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### 42073433

# Section 6. Accidental release measures

### Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	<ul> <li>Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest.</li> </ul>
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### Section 8. Exposure controls and personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits		
2-aminoethanol	Safe Work Australia (Australia, 10/2022). STEL: 15 mg/m <sup>3</sup> 15 minutes. STEL: 6 ppm 15 minutes. TWA: 7.5 mg/m <sup>3</sup> 8 hours. TWA: 3 ppm 8 hours.		

#### **Biological Exposure Indices (BEI)**

No exposure indices known.

Appropriate engineering controls	: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measure	es
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Keep equipment clean.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Face shield. If inhalation hazards exist, a full-face respirator may be required instead.

# Section 8. Exposure controls and personal protection

-	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers.
Other skin protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: A respirator is not needed under normal and intended conditions of product use. Use appropriate respiratory protection if there is a risk of exceeding any exposure limits.
Thermal hazards	: Not expected under normal use. Not relevant/applicable due to nature of the product.

### Section 9. Physical and chemical properties

<u>Appearance</u>			
Physical state	:	: Liquid.	
Color	:	: Clear., Blue.	
Odor	:	Not available.	
Odor threshold	:	Not available.	
рН	:	9.7 [Conc. (% w/w): 5%]	
Melting point	:	Not available.	
Boiling point	:	Not available.	
Flash point	:	Not available.	
Evaporation rate	:	: Not available.	
Flammability (solid, gas)	:	: Not available.	
Lower and upper explosive (flammable) limits	:	Not available.	
Vapor pressure	:	: Not available.	
Vapor density	:	Not available.	
Density	:	1.045 g/cm³ [15.5°C]	
Solubility	:		
Media		Result	
water		Easily soluble	
Partition coefficient: n- octanol/water	:	Not applicable.	
Auto-ignition temperature	:	: Not available.	
Decomposition temperature	:	Not available.	
Flow time (ISO 2431)	:	Not available.	
Particle characteristics			
Median particle size	1	Not applicable.	

### Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific measures identified.
Incompatible materials	: Strong oxidizing materials. strong acids. strong alkalis
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity : Based on available data, the classification criteria are not met.

#### Acute toxicity estimates

Route	ATE value
Oral	13546.45 mg/kg
Dermal	16850.58 mg/kg
Inhalation (dusts and mists)	41.35 mg/l

#### Numerical measures of toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2-aminoethanol	LC50 Inhalation Dusts and mists	Rat	1.5 mg/l	4 hours
	LD50 Oral	Rat	1720 mg/kg	-
Propylidynetrimethanol, propoxylated, reaction products with ammonia	LD50 Dermal	Rat	>1000 mg/kg	-
	LD50 Oral	Rat	550 mg/kg	-
2-amino-2-methylpropanol	LD50 Oral	Rat	2900 mg/kg	-
Irritation/Corrosion	: Causes serious eye damage.	Causes skin	irritation.	
	1	1	1	1

Product/ingredient name	Result	Species	Score	Exposure	Observation
2-aminoethanol	Eyes - Severe irritant Skin - Moderate irritant	Rabbit Rabbit	-	250 ug 505 mg	-
Sensitization	: Based on available data	, the classificat	ion criteria are	e not met.	

**Mutagenicity** : Based on available data, the classification criteria are not met.

**Carcinogenicity** : Based on available data, the classification criteria are not met.

. Dased on available data, the classification citteria are not met.

**Reproductive toxicity** : Based on available data, the classification criteria are not met.

**Specific target organ toxicity (single exposure)** : Based on available data, the classification criteria are not

met.

Name		Category	Route of exposure	Target organs
2-aminoethanol		Category 3	-	Respiratory tract irritation
Specific target organ toxi exposure)	city (repeated	: Based on availabl met.	le data, the classific	cation criteria are not
Aspiration hazard Other information	: Based on avail : None identified	able data, the classification I.	n criteria are not m	et.

### Section 11. Toxicological information

#### Information on the likely routes of exposure

Inhalation	: No known significant effects or critical hazards.
Skin contact	: Causes skin irritation.
Eye contact	: Causes serious eye damage.
Ingestion	: No known significant effects or critical hazards.

#### Delayed and immediate effects and also chronic effects from short and long term exposure None identified.

#### Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	:	Not expected under normal use.
Skin contact	:	pain or irritation,redness
Eye contact	:	pain,redness,watering,burns
Ingestion	:	Not expected under normal use.

# Section 12. Ecological information

This material is harmful to aquatic life with long lasting effects.

#### <u>Toxicity</u>

Product/ingredient name	Result	Species	Exposure
2-aminoethanol	Acute EC50 2.8 mg/l	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute LC50 >100000 µg/l Marine water	Crustaceans - Crangon crangon - Adult	48 hours
2-amino-2-methylpropanol	Acute LC50 170 mg/l Fresh water Acute EC50 565.5 mg/l	Fish - Carassius auratus Algae - Desmodesmus subspicatus	96 hours 72 hours

#### Persistence and degradability

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
2-aminoethanol	-1.31	-	Low
Propylidynetrimethanol, propoxylated, reaction products with ammonia	-1.13	-	Low
2-amino-2-methylpropanol	-0.63	320	Low

#### Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

#### Other adverse effects

: No known significant effects or critical hazards.

### Section 13. Disposal considerations

#### **Disposal methods**

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Empty containers or liners may retain some product residues. Empty containers retain product residue and can be hazardous. Care should be taken when handling emptied containers that have not been cleaned or rinsed out.

listed or exempted.

8/9

Version : 3.01

### Section 14. Transport information

	ADG	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments

### S

Section 15. Regulatory information
Standard for the Uniform Scheduling of Medicines and Poisons
6
Model Work Health and Safety Regulations - Scheduled Substances
No listed substance
International regulations
Montreal Protocol
Not listed.
Stockholm Convention on Persistent Organic Pollutants
Not listed.
Rotterdam Convention on Prior Informed Consent (PIC)
Not listed.
UNECE Aarhus Protocol on POPs and Heavy Metals
Not listed.
Inventory list
Australian Inventory of Industrial Chemicals : All components are (AIIC)
Date of issue/Date of revision       : 4 September 2023

### Section 15. Regulatory information

New Zealand Inventory of Chemicals (NZIoC) : All components are listed or exempted.

### Section 16. Any other relevant information

Date of issue/Date of revision	: 9/4/2023
Version	: 3.01
Key to abbreviations	<ul> <li>ADG = Australian Dangerous Goods</li> <li>ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road</li> <li>ATE = Acute Toxicity Estimate</li> <li>BCF = Bioconcentration Factor</li> <li>GHS = Globally Harmonized System of Classification and Labelling of Chemicals</li> <li>IATA = International Air Transport Association</li> <li>IBC = Internediate Bulk Container</li> <li>IMDG = International Maritime Dangerous Goods</li> <li>LogPow = logarithm of the octanol/water partition coefficient</li> <li>MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)</li> <li>N/A = Not available</li> <li>SGG = Segregation Group</li> <li>SUSMP = Standard Uniform Schedule of Medicine and Poisons</li> <li>UN = United Nations</li> <li>IARC = International Agency for Research on Cancer.</li> </ul>
References	<ul> <li>Safety data sheets of raw materials, global regulatory body information, scientific literature, and testing data.</li> </ul>

Indicates information that has changed from previously issued version.

Notice to reader

This product's safety information is provided to assist our customers in assessing compliance with safety/ health/environmental regulations. The information contained herein is based on data available to us and is correct to the best of our knowledge, information and belief at the date of its publication. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.