

SAFETY DATA SHEET

ADVANTAGE GP 50-MD-SS

SDS according to the Work Health and Safety Regulations (WHS)

Section 1. Identification

Product name : ADVANTAGE GP 50-MD-SS

Product code : 42205035

Other means of : Not available.

identification

UN number : Not regulated.

Relevant identified uses of the substance or mixture and uses advised against

Relevant uses : Metalworking fluid
Uses advised against : Any other purpose.

Supplier : Houghton Australia Pty. Ltd.

287 Wickham Road Moorabbin, Victoria Australia, 3189 +61 1300 736 642

MAPAL Australia Pty. Ltd. Unit 3, 898 Humffray Street South

MT Pleasant, Victoria Australia, 3350 T: +61 3 5335 3400

ProductStewardship@quakerhoughton.com

www.quakerhoughton.com

Emergency telephone number (with hours of

operation)

: CHEMTREC Australia: +(61)-290372994

Section 2. Hazard(s) identification

This product is considered hazardous under the Work Health and Safety Regulations.

Classification of the substance or mixture

: SKIN SENSITIZATION - Category 1

GHS label elements

Hazard pictograms



Exclamation mark

Signal word : WARNING

Hazard statements : May cause an allergic skin reaction.

Date of issue/Date of revision : 18 May 2021 Version : 2 1/9

Section 2. Hazard(s) identification

Precautionary statements

Prevention : Wear protective gloves. Avoid breathing vapor.

Response : Take off contaminated clothing and wash it before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention.

Storage : Not applicable.

Disposal : Dispose of contents and container in accordance with all local, regional, national

and international regulations.

Supplemental label

elements

: Not applicable.

Other hazards which do not : None known.

result in classification

Section 3. Composition and ingredient information

Substance/mixture : Mixture

Ingredient name	% (w/w)	CAS number
Mineral oil	≥10 - ≤30	**
2-(hydroxymethylamino)ethanol	≤1.5	34375-28-5
2-(2-butoxyethoxy)ethanol	≤1	112-34-5

^{**} May contain : 64742-52-5

Froduct containing mineral oil with less than 3% DMSO extract as measured by IP 346.

The remaining composition is a mixture of non-classified ingredients or additives below the threshold for disclosure.

Section 4. First aid measures

Description of necessary first aid measures

General advice : Set medical attention. If medical advice is needed, have product container or label

> at hand. Use personal protective equipment as required. Remove contaminated clothing and wash it before reuse. Wash skin surfaces thoroughly after contact.

Inhalation : Move affected person to fresh air. If not breathing, if breathing is irregular or if

respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

Get medical attention.

Skin contact : Wash with plenty of soap and water. Remove contaminated clothing and wash it

before reuse. Get medical attention if symptoms occur.

Eye contact : Flush with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Remove contact lenses, if present and easy to do.

Ingestion may cause gastrointestinal irritation and diarrhea. Do not induce vomiting Ingestion

unless directed to do so by medical personnel. Never give anything by mouth to an

unconscious person.

Most important symptoms/effects, acute and delayed

Inhalation : Not expected under normal use. Skin contact : irritation.redness.skin rash or hives

Eye contact : Not expected under normal use.

Ingestion : Not expected under normal use.

Indication of immediate medical attention and special treatment needed, if necessary

In case of inhalation of decomposition products in a fire, symptoms may be delayed. Notes to physician The exposed person may need to be kept under medical surveillance for 48 hours.

Version : 2 2/9 Date of issue/Date of revision : 18 May 2021

Section 4. First aid measures

Specific treatments

: No specific treatment.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Use personal protective equipment as required.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

: Use an extinguishing agent suitable for the surrounding fire. Use dry chemical, CO2. water spray (fog) or foam.

Unsuitable extinguishing media

: Do not use water jet.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : In a fire, hazardous decomposition products may be produced. carbon oxides (CO, CO2) nitrogen oxides sulfur oxides metal oxide/oxides

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Put on appropriate personal protective equipment (see Section 8). Keep unnecessary personnel away. Avoid breathing vapor or mist. Provide adequate ventilation.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". Evacuate area.

Environmental precautions

: Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Do not allow any potentially contaminated water, including rain water, runoff from fire fighting or spills, to enter any waterway, sewer or drain.

Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. For large spills, dike spilled material or otherwise contain it to ensure runoff does not reach a waterway. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Date of issue/Date of revision : 18 May 2021 Version : 2 3/9

Section 7. Handling and storage

Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest.

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits	
Mineral oil	ACGIH TLV (United States).	
	TWA: 5 mg/m ³ 8 hours.	
	STEL: 10 mg/m³ 15 minutes.	
2-(2-butoxyethoxy)ethanol	ACGIH TLV (United States, 3/2019).	
	TWA: 10 ppm 8 hours. Form: Inhalable	
	fraction and vapor	

Biological Exposure Indices (BEI)

None.

Appropriate engineering controls

: Wuser operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Keep equipment clean.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers.

Date of issue/Date of revision : 18 May 2021 Version : 2 4/9

Section 8. Exposure controls and personal protection

Other skin protection : Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the

risks involved and should be approved by a specialist before handling this product. Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the

> appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important

aspects of use.

Thermal hazards Not expected under normal use. Not relevant/applicable due to nature of the

product.

Section 9. Physical and chemical properties

Appearance

Physical state : Liquid.

Color : Clear. Amber. Odor : Characteristic. : Not available. Odor threshold

Hq : 10.3 [Conc. (% w/w): 5%]

: Not available. Melting point : 100°C (212°F) **Boiling point**

Flash point : Open cup: Not applicable.

Evaporation rate : Not available. Flammability (solid, gas) : Not available. Lower and upper explosive : Not available.

(flammable) limits

Vapor pressure : Not available. Vapor density : Not available. : 0.995 to 1.01 Relative density Solubility : Not available. Solubility in water : Not available. Partition coefficient: n-: Not available.

octanol/water

: Not available.

Auto-ignition temperature **Decomposition temperature** : Not available.

Viscosity : Kinematic (40°C (104°F)): Not applicable.

Flow time (ISO 2431) : Not available.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific measures identified.

Incompatible materials : Strong oxidizing materials. strong acids. strong alkalis

Date of issue/Date of revision Version : 2 5/9 : 18 May 2021

Section 10. Stability and reactivity

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity: Based on available data, the classification criteria are not met.

Acute toxicity estimates

 Øral
 7389.66 mg/kg

 Dermal
 23133.94 mg/kg

Numerical measures of toxicity

Product/ingredient name	Result	Species	Dose	Exposure
?-(hydroxymethylamino) ethanol	LC50 Inhalation Dusts and mists	Rat	1.5 mg/l	4 hours
	LD50 Dermal	Rabbit	>5000 mg/kg	-
2-(2-butoxyethoxy)ethanol	LD50 Oral LD50 Dermal	Rat Rabbit	1620 mg/kg 2700 mg/kg	-
Z-(Z-batoxyctrioxy)ctriarior	LD50 Oral	Rat	3384 mg/kg	-

Irritation/Corrosion : Based on available data, the classification criteria are not met.

Product/ingredient name	Result	Species	Score	Exposure	Observation
2-(2-butoxyethoxy)ethanol	Eyes - Moderate irritant	Rabbit	-	24 hours 20	-
	Eyes - Severe irritant	Rabbit	-	mg 20 mg	-

Sensitization: May cause sensitization by skin contact.

Mutagenicity: Based on available data, the classification criteria are not met.Carcinogenicity: Based on available data, the classification criteria are not met.Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure) : Based on available data, the classification criteria are not

met.

Specific target organ toxicity (repeated

exposure)

: Based on available data, the classification criteria are not

met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Name	Result	
Mineral oil	ASPIRATION HAZARD - Category 1	

Other information : None identified.

Information on the likely routes of exposure

Inhalation : No known significant effects or critical hazards.

Skin contact: May cause sensitization by skin contact.

Eye contactIngestionNo known significant effects or critical hazards.

Delayed and immediate effects and also chronic effects from short and long term exposure

None identified.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: Not expected under normal use.Skin contact: Irritation, redness, skin rash or hivesEye contact: Not expected under normal use.Ingestion: Not expected under normal use.

Date of issue/Date of revision : 18 May 2021 Version : 2 6/9

Section 12. Ecological information

This material is toxic to aquatic life. This material is harmful to aquatic life with long lasting effects.

Toxicity

Product/ingredient name	Result	Species	Exposure
?-(hydroxymethylamino) ethanol	Acute EC50 25.2 ppm Fresh water	Daphnia - Daphnia magna	48 hours
2-(2-butoxyethoxy)ethanol	Acute LC50 >100 mg/l Acute LC50 1300000 μg/l Fresh water	Fish - Oncorhynchus mykiss Fish - Lepomis macrochirus	96 hours 96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
2-(2-butoxyethoxy)ethanol	1	-	low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Empty containers or liners may retain some product residues. Empty containers retain product residue and can be hazardous. Care should be taken when handling emptied containers that have not been cleaned or rinsed out.

Section 14. Transport information

	ADG	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.

Additional information

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue/Date of revision 7/9 : 18 May 2021 Version : 2

Section 14. Transport information

Transport in bulk according : Not available.

to IMO instruments

Section 15. Regulatory information

Standard for the Uniform Scheduling of Medicines and Poisons

Not Scheduled

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australian Inventory of Industrial Chemicals

: Not determined.

(AIIC)

New Zealand Inventory of Chemicals (NZIoC) : Not determined.

Section 16. Any other relevant information

Date of issue/Date of

revision

: 5/18/2021

Version : 2

Key to abbreviations : ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

SGG = Segregation Group

SUSMP = Standard Uniform Schedule of Medicine and Poisons

UN = United Nations

IARC = International Agency for Research on Cancer.

References : Safety data sheets of raw materials, global regulatory body information,

scientific literature, and testing data.

Indicates information that has changed from previously issued version.

Notice to reader

Date of issue/Date of revision : 18 May 2021 Version : 2 8/9

Section 16. Any other relevant information

This product's safety information is provided to assist our customers in assessing compliance with safety/ health/environmental regulations. The information contained herein is based on data available to us and is correct to the best of our knowledge, information and belief at the date of its publication. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

Date of issue/Date of revision : 18 May 2021 Version : 2 9/9